

# DUST MONKEY PA/P

WWW.DUSTMONKEY.NET

## SPECIFICATIONS

The PA/P is the new model series of centrifugal ventilators that can be used for low and medium total pressures from 2 to 15 in. H<sub>2</sub>O and capacities from 647 to 9564 CFM, with maximum temperatures of 140°F. The PA/P series was designed for dust, sawdust, wooden, chips suction, and metallic dust extraction, which makes it very useful in the woodworking and metal working industries. Due to the open blade impeller, accurately balanced in a dynamic and static way, directly coupled to the electric motor, the PA/P ventilators give no vibrations during

performance, ensure a long duration of the bearing and best performance. The seemed scroll in galvanized sheet metal is particularly sturdy and perpetually soundproof. The suction inlet and the outlet are provided with flanges to connect the pipeline the counter-flanges are available upon request. The centrifugal ventilators PA/P series can be oriented in every standard direction. They are normally supplied with the outlet horizontally turned to the left (when looking at the machine from the motor side). When the order is placed, please specify the desired direction.



### FEATURES

- \* The PA/P series was designed for dust, sawdust, wooden, chips suction, and metallic dust extraction, which makes it very useful in the woodworking and metal working industries.
- \* Low and medium total pressures from 2 to 15 in. H<sub>2</sub>O and capacities from 647 to 9564 CFM, with maximum temperatures of 140°F.

### OPTIONS

- \* Variety of different fans available

## DIMENSIONS, ETC.

Dust Monkey products are manufactured in metric sizes but described here and on the web site in their closest English equivalent. Representative sizes and dimensions are described here. Custom sizes and materials are available.

Diameters:  
63 mm: 2.5 inches  
75 mm: 3 inches  
100 mm: 4 inches  
125 mm: 5 inches  
160 mm: 6 inches  
200 mm: 8 inches

Lengths:  
1.5m: 5 feet  
2.0m: 6 feet  
3.0m: 10 feet  
4.0m: 13 feet  
5.0m: 16 feet  
6.0m: 20 feet  
7.0m: 23 feet  
8.0m: 26 feet  
9.0m: 30 feet

WWW.DUSTMONKEY.NET

Komodo Enterprises, Inc. DBA  
Dust Monkey  
2620 S. Maryland Pkwy  
Suite 14, Box 863  
Las Vegas, NV 89109

California Office  
8915 Research Dr.  
Irvine CA, 92618

Tel: 949.341.0314  
Fax: 949.341.0315

E-mail: info@dustmonkey.net



*Tough, Durable,  
Rugged, Reliable,  
Stout Construction*

Visit all our web sites:  
WWW.DUSTMONKEY.NET  
WWW.DUCTMONKEY.NET  
WWW.MONKEYARMS.COM



*Experts in Dust, and  
Fume Control.*

WWW.DUSTMONKEY.NET

## MODELS AVAILABLE

PA/P	CAPACITY (CFM)	PRESSURE (IN. H2O)	POWER (HP)
PA/P1	1148	2	1
PA/P1	1001	4	1
PA/P1	824	4	1
PA/P1	706	5	1
PA/P1	647	5	1
PA/P2	1913	3	2
PA/P2	1825	3	2
PA/P2	1560	4	2
PA/P2	1295	5	2
PA/P2	1030	5	2
PA/P3	2384	3	3
PA/P3	2178	4	3
PA/P3	2031	5	3
PA/P3	1766	6	3
PA/P3	1295	6	3
PA/P4	3267	3	4
PA/P4	3119	4	4
PA/P4	2590	6	4
PA/P4	2089	7	4
PA/P4	1295	8	4
PA/P5.5	3531	4	5.5
PA/P5.5	3325	5	5.5
PA/P5.5	2913	7	5.5
PA/P5.5	2590	8	5.5
PA/P5.5	1766	9	5.5
PA/P7.5	4561	4	7.5
PA/P7.5	4179	6	7.5
PA/P7.5	3649	8	7.5
PA/P7.5	3002	9	7.5
PA/P7.5	2354	10	7.5
PA/P10	5238	5	10
PA/P10	4885	7	10
PA/P10	4297	9	10
PA/P10	3914	10	10
PA/P10	3267	10	10
PA/P15	7122	6	15
PA/P15	6769	7	15
PA/P15	6121	9	15
PA/P15	4120	12	15
PA/P15	3149	12	15
PA/P20	8417	6	20
PA/P20	8005	8	20
PA/P20	7240	10	20
PA/P20	4885	13	20
PA/P20	3708	14	20
PA/P25	9564	7	25
PA/P25	9094	9	25
PA/P25	8240	11	25

WWW.DUSTMONKEY.NET

Komodo Enterprises, Inc. DBA  
Dust Monkey  
2620 S. Maryland Pkwy  
Suite 14, Box 863  
Las Vegas, NV 89109

California Office  
8915 Research Dr.  
Irvine CA, 92618

Tel: 949.341.0314  
Fax: 949.341.0315

E-mail: [info@dustmonkey.net](mailto:info@dustmonkey.net)



*Tough, Durable,  
Rugged, Reliable,  
Stout Construction*

Visit all our web sites:  
[WWW.DUSTMONKEY.NET](http://WWW.DUSTMONKEY.NET)  
[WWW.DUCTMONKEY.NET](http://WWW.DUCTMONKEY.NET)  
[WWW.MONKEYARMS.COM](http://WWW.MONKEYARMS.COM)



*Experts in Dust, and  
Fume Control.*

## TERMS AND CONDITIONS

### PAYMENTS AND TERMS

Prices quoted are good for 30 days unless otherwise noted. Dust Monkey accepts cash, check, wire transfer, or credit cards. All prices are quote in US Dollars, unless otherwise noted. All sales are final. All freight is FOB, Las Vegas, Nevada unless otherwise noted. All goods remain the property of Dust Monkey until paid in full. Payment is due at time of order unless credit has been granted. All past due accounts accrue a service fee of 3% per month. Dust Monkey is a DBA of Komodo Enterprises, Inc., a Nevada Corporation.

### PRIVACY STATEMENT

Komodo Enterprises Inc. respects your privacy and will not divulge your contact information to any third party organization or entity without your express permission. In addition, our web sites gather no unauthorized information from your computer during your visit with us. All phone calls to Dust Monkey may be monitored or recorded.

### ACCURACY

Dust Monkey assumes no responsibility for errors or omissions in this web site or documents which are referenced by or linked to this site. This site could include technical or other inaccuracies. Changes are periodically added to the information, and Dust Monkey may change the products or services described at any time. Contact Customer Service for further information before relying on any information contained herein. The information provided on this site, including text, images, and links, are provided "AS IS" by Dust Monkey solely as a convenience to its visitors. This information is without any warranties, express or implied, including but not limited to warranties of merchantability, fitness for a particular purpose or non-infringement.

### WARRANTY & INDEMNITY

Dust Monkey warrants products it manufactures for a period of 90 days to the original purchaser from the date of purchase. Items not manufactured by Dust Monkey are limited to their own manufacturer's warranties. This warranty does not apply to defects due directly or indirectly to misuse, negligence, accidents, abuse, repairs, or alterations or lack of maintenance. This is Dust Monkey's sole written warranty and any and all warranties that may be implied by law, including any merchantability or fitness, for any particular purpose, are hereby limited to the duration of this written warranty. Dust Monkey does not warrant or represent that the merchandise complies with the provisions of any law or acts. In no event shall Dust Monkey liability under this warranty exceed the purchase price paid for the product. Both parties agree to binding arbitration in Las Vegas, Nevada. Dust Monkey shall in no event be liable for death, injuries to persons or property or for incidental, and contingent, special, or consequential damages arising from the use of our products. Dust Monkey warrants products only for the specific use expressly agreed to at time of purchase by Dust Monkey in writing. Motors should only be started and stopped up to 4 - 10 times per hour. Starting motors more frequently can cause heat build up and can cause the motor overload to trip or cause motor damage. In general, motors should be started and stopped as little as possible for maximum lifespan and best economy (electrical use). \*Note: Motors should be protected from extreme weather to prolong motor life. All claims, including claims covered under the limited warranty, are subject to inspection and investigation before Buyer's claim is settled. Any parts returned for warranty or repair will not be accepted without an RMA number and must be shipped pre-paid. Contact Customer Service with the original bill of sale to obtain an RMA number.

WWW.DUSTMONKEY.NET